

# Classic

## Classic LEDBulb 18W E27 4200K

### Product data

#### General information

Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	30000h
Switching Cycle	50000

#### Light technical

Color Code	842 [ CCT of 4200K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	1750 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	4200 K
Luminous Efficacy (rated) (Nom)	97.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

#### Operating and electrical

Input Frequency	50 to 60 Hz
Power (Nom)	18 W
Lamp Current (Nom)	65 mA
Wattage Equivalent	180 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor	0.5
(Nom) Voltage	165-265 V
(Nom)	

#### Temperature

T-Case Maximum (Nom)	78 °C
----------------------	-------

#### Controls and dimming

Dimmable	No
----------	----

#### Mechanical and housing

Bulb Finish	Frosted
Bulb	A65 [ A 65mm]
Shape	

#### Approval and application

Energy Consumption kWh/1000 h	18 kWh
-------------------------------	--------

#### Product data


Full product code	
Order product name	DE Classic LEDBulb 18W E27 4200K
EAN/UPC - Product	
Order code	
Numerator - Quantity Per Pack	1

# Classic

Local code description	Classic LEDBulb 18W E27 4200K
Numerator - Packs per outer box	10
Material Nr. (12NC)	

Net Weight (Piece) 0.055 kg


## Dimensional drawing




Classic LEDBulb 18W E27 4200K

Product	D	C
Classic LEDBulb 15W E27 4200K	65 mm	128 mm

## Photometric data




180W E27 A65 4200K




180W E27 A65

# Classic

## Lifetime



Lumen Maintenance Diagram



Life Expectancy Diagram

